Contents:

Volume 118, Number 1, July 1992

1 **Export of mRNA from microinjected nuclei of *Xenopus laevis* oocytes.**
C. Dargemont and L. C. Kühn

11 **Intracellular distribution of the U1A protein depends on active transport and nuclear binding to U1 snRNA.**
C. Kambach and I. W. Mattaj

23 **Kinetochores and chromatin diminution in early embryos of *Parascaris univalens*.**
C. Goday, J. M. González-García, M. R. Esteban, G. Giovinazzo, and S. Pimpinelli

33 **Correct folding of α-lytic protease is required for its extracellular secretion from *E. coli*.**
A. Fujishige, K. R. Smith, J. L. Silen, and D. A. Agard

43 **Immunocytochemical analysis of the transfer of vesicular stomatitis virus G glycoprotein from the intermediate compartment to the Golgi complex.**
L. V. Lotti, M.-R. Torrisi, M. C. Pascale, and S. Bonatti

51 **Selective inhibition of protein targeting to the apical domain of MDCK cells by brefeldin A.**
S. H. Low, B. L. Tang, S. H. Wong, and W. Hong

63 **Lowering the cholesterol content of MA104 cells inhibits receptor mediated transport of folate.**
W.-J. Chang, K. G. Rothberg, B. A. Kamen, and R. G. W. Anderson

71 **How *Listeria* exploits host cell actin to form its own cytoskeleton. I. Formation of a tail and how that tail might be involved in movement.**
L. G. Tilney, D. J. DeRosier, and M. S. Tilney

83 **How *Listeria* exploits host cell actin to form its own cytoskeleton. II. Nucleation, actin filament polarity, filament assembly, and evidence for a pointed end capper.**
L. G. Tilney, D. J. DeRosier, A. Weber, and M. S. Tilney

95 **Kinesin-related proteins required for assembly of the mitotic spindle.**
D. M. Roof, P. B. Meluh, and M. D. Rose

109 **Two *Saccharomyces cerevisiae* kinesin-related gene products required for mitotic spindle assembly.**
M. A. Hoyt, L. He, K. K. Loo, and W. S. Saunders

121 **Steady state dynamics of intermediate filament networks.**
K. L. Vikstrom, S.-S. Lim, R. D. Goldman, and G. G. Borisy

131 **Nerve growth factor transcriptional control of c-fos promoter transfected in cultured spinal sensory neurons.**
N. Gabellini, M.-C. Minozzi, A. Leon, and R. D. Toso

139 **Synthesis and localization of ciliary neurotrophic factor in the sciatic nerve of the adult rat after lesion and during regeneration.**
M. Sendtner, K. A. Stöckli, and H. Thoenen

149 **Structure of the axonal surface recognition molecule neurofascin and its relationship to a neural subgroup of the immunoglobulin superfamily.**
H. Volkmer, B. Hassel, J. M. Wolff, R. Frank, and F. G. Rathjen

163 **A multifunctional cell surface developmental stage-specific antigen in the cockroach embryo: involvement in pathfinding by CNS pioneer axons.**
L. S. Wang, Y. Feng, and J. L. Denburg

177 **Different extracellular domains of the neural cell adhesion molecule (N-CAM) are involved in different functions.**
T. Frei, F. von Bohlen und Halbach, W. Wille, and M. Schachner

195 **Intercellular calcium signaling via gap junctions in glioma cells.**
A. C. Charles, C. C. G. Naus, D. Zhu, G. M. Kidder, E. R. Dirksen, and M. J. Sanderson

203 **Chondrodysplasia in transgenic mice harboring a 15-amino acid deletion in the triple helical domain of Proα1(II) collagen chain.**
M. Metsäranta, S. Garofalo, G. Decker, M. Rintala, B. de Crombrugghe, and E. Vuorio

213 **Correction**

215 **Correction**

217 **Correction**

219 **Correction**

221 **Placement Service Notices**

227 **Disulfide bond formation during the folding of influenza virus hemagglutinin.**
M. S. Segal, J. M. Bye, J. F. Sambrook, and M.-J. H. Gething

245 **Early disulfide bond formation prevents heterotypic aggregation of membrane proteins in a cell-free translation system.**
M. Yilla, D. Doyle, and J. T. Sawyer

253 **Regulated export of a secretory protein from the ER of the hepatocyte: a specific binding site retaining C-reactive protein within the ER is downregulated during the acute phase response.**
S. S. Macintyre

267 **Post-Golgi membrane traffic: brefeldin A inhibits export from distal Golgi compartments to the cell surface but not recycling.**
S. G. Miller, L. Carnell, and H.-P. H. Moore

285 **Characterization of *TPM1* disrupted yeast cells indicates an involvement of tropomyosin in directed vesicular transport.**
H. Liu and A. Bretscher

301 **Ubiquitin-activating enzyme, E1, is associated with maturation of autophagic vacuoles.**
S. E. Lenk, W. A. Dunn, Jr., J. S. Trausch, A. Ciechanover, and A. L. Schwartz

309 **Membrane anchoring of the autoantigen GAD_{65} to microvesicles in pancreatic β-cells by palmitoylation in the NH_2-terminal domain.**
S. Christgau, H.-J. Aanstoot, H. Schierbeck, K. Begley, S. Tullin, K. Hejnaes, and S. Baekkeskov

321 **Association of $p60^{c\text{-}src}$ with endosomal membranes in mammalian fibroblasts.**
K. B. Kaplan, J. R. Swedlow, H. E. Varmus, and D. O. Morgan

335 **Localization of capping protein in chicken epithelial cells by immunofluorescence and biochemical fractionation.**
D. A. Schafer, M. S. Mooseker, and J. A. Cooper

347 **Association of calmodulin and an unconventional myosin with the contractile vacuole complex of *Dictyostelium discoideum*.**
Q. Zhu and M. Clarke

359 **Biochemical and immunological characterization of p190–calmodulin complex from vertebrate brain: a novel calmodulin-binding myosin.**
F. S. Espindola, E. M. Espreafico, M. V. Coelho, A. R. Martins, F. R. C. Costa, M. S. Mooseker, and R. E. Larson

369 **Kinetochore microtubules in PTK cells.**
K. L. McDonald, E. T. O'Toole, D. N. Mastronarde, and J. R. McIntosh

385 **Nuclear and mitochondrial inheritance in yeast depends on novel cytoplasmic structures defined by the MDM1 protein.**
S. J. McConnell and M. P. Yaffe

397 **Schwann cells of the myelin-forming phenotype express neurofilament protein NF-M.**
B. M. Kelly, C. S. Gillespie, D. L. Sherman, and P. J. Brophy

411 **Thrombin receptor activation causes rapid neural cell rounding and neurite retraction independent of classic second messengers.**
K. Jalink and W. H. Moolenaar

421 **A fibronectin self-assembly site involved in fibronectin matrix assembly: reconstruction in a synthetic peptide.**
A. Morla and E. Ruoslahti

431 **Coordinate role for cell surface chondroitin sulfate proteoglycan and $\alpha 4\beta 1$ integrin in mediating melanoma cell adhesion to fibronectin.**
J. Iida, A. P. N. Skubitz, L. T. Furcht, E. A. Wayner, and J. B. McCarthy

445 **Identification of a specific glycoprotein ligand for P-selectin (CD62) on myeloid cells.**
K. L. Moore, N. L. Stults, S. Diaz, D. F. Smith, R. D. Cummings, A. Varki, and R. P. McEver

457 **CD66 nonspecific cross-reacting antigens are involved in neutrophil adherence to cytokine-activated endothelial cells.**
T. W. Kuijpers, M. Hoogerwerf, L. J. W. van der Laan, G. Nagel, C. E. van der Schoot, F. Grunert, and D. Roos

467 **Domain-specific and cell type–specific localization of two types of cell wall matrix polysaccharides in the clover root tip.**
M. A. Lynch and L. A. Staehelin

481 **Topology and phosphorylation of soybean nodulin-26, an intrinsic protein of the peribacteroid membrane.**
G-H. Miao, Z. Hong, and D. P. S. Verma

491 ADDITIONS AND CORRECTIONS

493 ADDITIONS AND CORRECTIONS

499 **Transport of microinjected alcohol oxidase from *Pichia pastoris* into vesicles in mammalian cells: Involvement of the peroxisomal targeting signal.**
P. A. Walton, S. J. Gould, R. A. Rachubinski, S. Subramani, and J. R. Feramisco

509 **PDGF-AA and PDGF-BB biosynthesis: Proprotein processing in the Golgi complex and lysosomal degradation of PDGF-BB retained intracellularly.**
A. Östman, J. Thyberg, B. Westermark, and C.-H. Heldin

521 **Protein targeting via the "constitutive-like" secretory pathway in isolated pancreatic islets: passive sorting in the immature granule compartment.**
R. Kuliawat and P. Arvan

531 **Selective and immediate effects of clathrin heavy chain mutations on Golgi membrane protein retention in *Saccharomyces cerevisiae*.**
M. Seeger and G. S. Payne

541 **Transient aggregation of nascent thyroglobulin in the endoplasmic reticulum: Relationship to the molecular chaperone, BiP.**
P. S. Kim, D. Bole, and P. Arvan

551 **Abnormal localization of cystic fibrosis transmembrane conductance regulator in primary cultures of cystic fibrosis airway epithelia.**
G. M. Denning, L. S. Ostedgaard, and M. J. Welsh

561 **Osmotic stress and the yeast cytoskeleton: Phenotype-specific suppression of an actin mutation.**
S. Chowdhury, K. W. Smith, and M. C. Gustin

573 **Alzheimer-like paired helical filaments and antiparallel dimers formed from microtubule-associated protein tau in vitro.**
H. Wille, G. Drewes, J. Biernat, E.-M. Mandelkow, and E. Mandelkow

585 **Microtubule disassembly in vivo: Intercalary destabilization and breakdown of microtubules in the heliozoan *Actinocoryne contractilis*.**
C. Febvre-Chevalier and J. Febvre

595 **Phosphorylation of myosin-II regulatory light chain by cyclin-p34^{cdc2}: A mechanism for the timing of cytokinesis.**
L. L. Satterwhite, M. J. Lohka, K. L. Wilson, T. Y. Scherson, L. J. Cisek, J. L. Corden, and T. D. Pollard

607 **A temperature-sensitive calmodulin mutant loses viability during mitosis.**
T. N. Davis

619 **Calmodulin concentrates at regions of cell growth in *Saccharomyces cerevisiae*.**
S. E. Brockerhoff and T. N. Davis

631 **Repression of myogenic differentiation by aFGF, bFGF, and K-FGF is dependent on cellular heparan sulfate.**
B. B. Olwin and A. Rapraeger

641 **H and T subunits of acetylcholinesterase from *Torpedo*, expressed in COS cells, generate all types of globular forms.**
N. Duval, J. Massoulié, and S. Bon

655 **A cytomechanical investigation of neurite growth on different culture surfaces.**
P. Lamoureux, J. Zheng, R. E. Buxbaum, and S. R. Heidemann

663 **Direct activation of second messenger pathways mimics cell adhesion molecule-dependent neurite outgrowth.**
J. L. Saffell, F. S. Walsh, and P. Doherty

671 **Plakoglobin, or an 83-kD homologue distinct from β-catenin, interacts with E-cadherin and N-cadherin.**
K. A. Knudsen and M. J. Wheelock

681 **The vertebrate adhesive junction proteins β-catenin and plakoglobin and the *Drosophila* segment polarity gene *armadillo* form a multigene family with similar properties.**
M. Peifer, P. McCrea, K. J. Green, E. Wieschaus, and B. Gumbiner

693 **Disulfides modulate RGD-inhibitable cell adhesive activity of thrombospondin.**
X. Sun, K. Skorstengaard, and D. F. Mosher

703 **Cadherin-mediated cell–cell adhesion is perturbed by v-*src* tyrosine phosphorylation in metastatic fibroblasts.**
N. Matsuyoshi, M. Hamaguchi, S. Taniguchi, A. Nagafuchi, S. Tsukita, and M. Takeichi

715 **Altered metabolic and adhesive properties and increased tumorigenesis associated with increased expression of transforming growth factor β1.**
B. A. Arrick, A. R. Lopez, F. Elfman, R. Ebner, C. H. Damsky, and R. Derynck

727 **Targeted disruption of the tissue inhibitor of metalloproteinases gene increases the invasive behavior of primitive mesenchymal cells derived from embryonic stem cells in vitro.**
C. M. Alexander and Z. Werb

741 **Autocrine action of amphiregulin in a colon carcinoma cell line and immunocytochemical localization of amphiregulin in human colon.**
G. R. Johnson, T. Saeki, A. W. Gordon, M. Shoyab, D. S. Salomon, and K. Stromberg

753 ADDITIONS AND CORRECTIONS

759 **The *Drosophila l(1)zw10* gene product, required for accurate mitotic chromosome segregation, is redistributed at anaphase onset.**
B. C. Williams, T. L. Karr, J. M. Montgomery, and M. L. Goldberg

775 **Mitosis-specific phosphorylation of the nuclear oncoproteins Myc and Myb.**
B. Lüscher and R. N. Eisenman

785 **cdc25 is a nuclear protein expressed constitutively throughout the cell cycle in nontransformed mammalian cells.**
F. Girard, U. Strausfeld, J.-C. Cavadore, P. Russell, A. Fernandez, and N. J. C. Lamb

795 **The rubella virus E1 glycoprotein is arrested in a novel post-ER, pre-Golgi compartment.**
T. C. Hobman, L. Woodward, and M. G. Farquhar

813 **In AtT20 and HeLa cells Brefeldin A induces the fusion of tubular endosomes and changes their distribution and some of their endocytic properties.**
J. Tooze and M. Hollinshead

831 **The insulin receptor juxtamembrane region contains two independent tyrosine/β-turn internalization signals.**
J. M. Backer, S. E. Shoelson, M. A. Weiss, Q. X. Hua, R. B. Cheatham, E. Haring, D. C. Cahill, and M. F. White

841 ***In vitro* and *in vivo* characterization of four fibroblast tropomyosins produced in bacteria: TM-2, TM-3, TM-5a, and TM-5b are co-localized in interphase fibroblasts.**
M. F. Pittenger and D. M. Helfman

859 **2-Deoxyglucose and cytochalasin D modulate aldolase mobility in living 3T3 cells.**
L. Pagliaro and D. L. Taylor

865 **Tubulin protofilaments and kinesin-dependent motility.**
S. Kamimura and E. Mandelkow

877 **Retinoic acid induces myogenin synthesis and myogenic differentiation in the rat rhabdomyosarcoma cell line Ba-Han-1C.**
H. H. Arnold, C. D. Gerharz, H. E. Gabbert, and A. Salminen

889 **Cooperation between PDGF and FGF converts slowly dividing O-2A^{adult} progenitor cells to rapidly dividing cells with characteristics of O-2A^{perinatal} progenitor cells.**
G. Wolswijk and M. Noble

901 **Basic fibroblast growth factor–induced activation of latent transforming growth factor β in endothelial cells: regulation of plasminogen activator activity.**
R. Flaumenhaft, M. Abe, P. Mignatti, and D. B. Rifkin

911 **Distinct cellular expression pattern of annexins in *Hydra vulgaris*.**
D. D. Schlaepfer, H. R. Bode, and H. T. Haigler

929 **Enteric defensins: antibiotic peptide components of intestinal host defense.**
M. E. Selsted, S. I. Miller, A. H. Henschen, and A. J. Ouellette

937 **Identification of a peptide sequence involved in homophilic binding in the neural cell adhesion molecule NCAM.**
Y. Rao, X.-F. Wu, J. Gariepy, U. Rutishauser, and C.-H. Siu

951 **Proteolytic processing of endogenous and recombinant β_4 integrin subunit.**
F. G. Giancotti, M. A. Stepp, S. Suzuki, E. Engvall, and E. Ruoslahti

961 **Molecular cloning of amphiglycan, a novel integral membrane heparan sulfate proteoglycan expressed by epithelial and fibroblastic cells.**
G. David, B. van der Schueren, P. Marynen, J.-J. Cassiman, and H. van den Berghe

971 **CD44H regulates tumor cell migration on hyaluronate-coated substrate.**
L. Thomas, H. R. Byers, J. Vink, and I. Stamenkovic

979 **Type VI collagen microfibrils: evidence for a structural association with hyaluronan.**
C. M. Kielty, S. P. Whittaker, M. E. Grant, and C. A. Shuttleworth

991 **Analysis of a developmentally regulated nuclear localization signal in *Xenopus*.**
D. M. Standiford and J. D. Richter

1003 **VIP21, a 21-kD membrane protein is an integral component of *trans*-Golgi-network-derived transport vesicles.**
T. V. Kurzchalia, P. Dupree, R. G. Parton, R. Kellner, H. Virta, M. Lehnert, and K. Simons

1015 **A novel 115-kD peripheral membrane protein is required for intercisternal transport in the Golgi stack.**
M. G. Waters, D. O. Clary, and J. E. Rothman

1027 **The pathway and targeting signal for delivery of the integral membrane glycoprotein LEP100 to lysosomes.**
P. M. Mathews, J. B. Martinie, and D. M. Fambrough

1041 **Sec8p and Sec15p are components of a plasma membrane-associated 19.5*S* particle that may function downstream of Sec4p to control exocytosis.**
R. Bowser, H. Müller, B. Govindan, and P. Novick

1057 **Intracellular retention of membrane-anchored v-*sis* protein abrogates autocrine signal transduction.**
B. A. Lee and D. J. Donoghue

1071 **Isolation of insoluble secretory product from bovine thyroid: Extracellular storage of thyroglobulin in covalently cross-linked form.**
V. Herzog, U. Berndorfer, and Y. Saber

1085 **Role of the COOH-terminal nonhelical tailpiece in the assembly of a vertebrate nonmuscle myosin rod.**
T. P. Hodge, R. Cross, and J. Kendrick-Jones

1097 **Control of microtubule dynamics and length by cyclin A– and cyclin B–dependent kinases in *Xenopus* egg extracts.**
F. Verde, M. Dogterom, E. Stelzer, E. Karsenti, and S. Leibler

1109 **Cyclin A potentiates maturation-promoting factor activation in the early *Xenopus* embryo via inhibition of the tyrosine kinase that phosphorylates CDC2.**
A. Devault, D. Fesquet, J.-C. Cavadore, A.-M. Garrigues, J.-C. Labbé, T. Lorca, A. Picard, M. Philippe, and M. Dorée

1121 **Kinectin, a major kinesin-binding protein on ER.**
I. Toyoshima, H. Yu, E. R. Steuer, and M. P. Sheetz

1133 **Homology of the 74-kD cytoplasmic dynein subunit with a flagellar dynein polypeptide suggests an intracellular targeting function.**
B. M. Paschal, A. Mikami, K. K. Pfister, and R. B. Vallee

1145 **Arrangement of inner dynein arms in wild-type and mutant flagella of *Chlamydomonas*.**
D. N. Mastronarde, E. T. O'Toole, K. L. McDonald, J. R. McIntosh, and M. E. Porter

1163 **Extragenic suppressors of paralyzed flagellar mutations in *Chlamydomonas reinhardtii* identify loci that alter the inner dynein arms.**
M. E. Porter, J. Power, and S. K. Dutcher

1177 **The motile β/IC1 subunit of sea urchin sperm outer arm dynein does not form a rigor bond.**
A. G. Moss, J.-L. Gatti, and G. B. Witman

1189 **The α subunit of sea urchin sperm outer arm dynein mediates structural and rigor binding to microtubules.**
A. G. Moss, W. S. Sale, L. A. Fox, and G. B. Witman

1201 **Transcripts for the acetylcholine receptor and acetylcholine esterase show distribution differences in cultured chick muscle cells.**
K. W. K. Tsim, I. Greenberg, M. Rimer, W. R. Randall, and M. M. Salpeter

1213 **Transcriptional downregulation of gap-junction proteins blocks junctional communication in human mammary tumor cell lines.**
S. W. Lee, C. Tomasetto, D. Paul, K. Keyomarsi, and R. Sager

1223 **Association of intercellular adhesion molecule-1 (ICAM-1) with actin-containing cytoskeleton and α-actinin.**
O. Carpén, P. Pallai, D. E. Staunton, and T. A. Springer

1235 **A GTPase controls cell-substrate adhesion in *Xenopus* XTC fibroblasts.**
M. H. Symons and T. J. Mitchison

1245 **Nectadrin, the heat-stable antigen, is a cell adhesion molecule.**
G. Kadmon, M. Eckert, M. Sammar, M. Schachner, and P. Altevogt

1259 **Bravo/Nr-CAM is closely related to the cell adhesion molecules L1 and Ng-CAM and has a similar heterodimer structure.**
J. F. Kayyem, J. M. Roman, E. J. de la Rosa, U. Schwarz, and W. J. Dreyer

1271 **Coordinated expression of extracellular matrix-degrading proteinases and their inhibitors regulates mammary epithelial function during involution.**
R. S. Talhouk, M. J. Bissell, and Z. Werb

1283 **Placement Service Notices**

1287 **A cap binding protein that may mediate nuclear export of RNA polymerase II-transcribed RNAs.**
E. Izaurralde, J. Stepinski, E. Darzynkiewicz, and I. W. Mattaj

1297 **In vitro assembly of prenucleolar bodies in *Xenopus* egg extract.**
P. Bell, M.-C. Dabauvalle, and U. Scheer

1305 **Hepatitis B surface antigen assembles in a post-ER, pre-Golgi compartment.**
A.-P. J. Huovila, A. M. Eder, and S. D. Fuller

1321 **The activity of Golgi transport vesicles depends on the presence of the *N*-ethylmaleimide-sensitive factor (NSF) and a soluble NSF attachment protein (αSNAP) during vesicle formation.**
B. W. Wattenberg, T. J. Raub, R. R. Hiebsch, and P. J. Weidman

1333 **Cytoplasmic dynein participates in the centrosomal localization of the Golgi complex.**
I. Corthésy-Theulaz, A. Pauloin, and S. R. Pfeffer

1347 **Pathways of internalization of the hCG/LH receptor: Immunoelectron microscopic studies in Leydig cells and transfected L-cells.**
N. Ghinea, M. T. Vu Hai, M.-T. Groyer-Picard, A. Houllier, D. Schoëvaërt, and E. Milgrom

1359 **The establishment of polarized membrane traffic in *Xenopus laevis* embryos.**
S. J. Roberts, D. S. Leaf, H.-P. Moore, and J. C. Gerhart

1371 **Clathrin heavy chain is required for pinocytosis, the presence of large vacuoles, and development in *Dictyostelium*.**
T. J. O'Halloran and R. G. W. Anderson

1379 **Clathrin-coated vesicles in nervous tissue are involved primarily in synaptic vesicle recycling.**
P. R. Maycox, E. Link, A. Reetz, S. A. Morris, and R. Jahn

1389 **The 27-kD diphtheria toxin receptor–associated protein (DRAP27) from Vero cells is the monkey homologue of human CD9 antigen: Expression of DRAP27 elevates the number of diphtheria toxin receptors on toxin–sensitive cells.**
T. Mitamura, R. Iwamoto, T. Umata, T. Yomo, I. Urabe, M. Tsuneoka, and E. Mekada

1401 **Localization of dystrophin COOH-terminal domain by the fracture-label technique.**
S. Squarzoni, P. Sabatelli, M. C. Maltarello, A. Cataldi, R. Di Primio, and N. M. Maraldi

1411 **Costameres are sites of force transmission to the substratum in adult rat cardiomyocytes.**
B. A. Danowski, K. Imanaka-Yoshida, J. M. Sanger, and J. W. Sanger

1421 **Mechanisms of actin rearrangements mediating platelet activation.**
J. H. Hartwig

1443 **The lymphocyte-specific protein LSP1 binds to F-actin and to the cytoskeleton through its COOH-terminal basic domain.**
J. Jongstra-Bilen, P. A. Janmey, J. H. Hartwig, S. Galea, and J. Jongstra

1455 **The inner dynein arms I2 interact with a "dynein regulatory complex" in *Chlamydomonas* flagella.**
G. Piperno, K. Mead, and W. Shestak

1465 **The two major membrane skeletal proteins (articulins) of *Euglena gracilis* define a novel class of cytoskeletal proteins.**
J. A. Marrs and G. B. Bouck

1477 **Identification of an epithelial protein related to the desmosome and intermediate filament network.**
P. Ouyang and S. P. Sugrue

1489 **Serum response factor p67^{SRF} is expressed and required during myogenic differentiation of both mouse C2 and rat L6 muscle cell lines.**
M. Vandromme, C. Gauthier-Rouvière, G. Carnac, N. Lamb, and A. Fernandez

1501 **Calcium/calmodulin transduces thrombin-stimulated secretion: Studies in intact and minimally-permeabilized human umbilical vein endothelial cells.**
K. A. Birch, J. S. Pober, G. B. Zavoico, A. R. Means, and B. M. Ewenstein

1511 **A novel endothelial-specific membrane protein is a marker of cell–cell contacts.**
M. G. Lampugnani, M. Resnati, M. Raiteri, R. Pigott, A. Pisacane, G. Houen, L. P. Ruco, and E. Dejana

1523 **Regulation of cell substrate adhesion: Effects of small galactosaminoglycan-containing proteoglycans.**
D. J. Bidanset, R. LeBaron, L. Rosenberg, J. E. Murphy-Ullrich, and M. Hook